


Overview

When accessing the Hosts Configuration Page, an Host Table is displayed, listing all Hosts objects.

This table contains the following informations :

- A check box to select one or more checks
- Differences
- Name
- Apply on Hosts
- Apply on Host Groups
- Check Templates
- Status



This page also provides, on the left, an action Menu, used to :

- Add a new Check
- Show Checks detected by Automatic Modules
- Accept differences on selected elements

On the top of the table, A tool bar let Administrators the ability to :


- Enable, Disable, Delete or Duplicate selected Checks
- Filter list by Name
- Filter list by Template applied on Checks
- Filter list by pack

Create a new Check

See chapter [Create a Check](#) for more details.

Modify a check


To modify properties of a check, first go on the Checks page, from the Main menu, and then click on the check name you want to modify.



The form displayed is the same as the form used to create a new Check. All fields are filled with Check properties.

Once changes have been made, configuration of the Check must be saved by clicking the Validate button available on the left menu.

Cancel button revert all changes to precedent configuration.



Delete a check


To delete a check, you can use the form of the check, or delete it directly from the list page.

From the Form page

First go to the Checks page, from the Main menu, then click on the check name you want to delete.

Once in the page displaying the form, click on the Delete button available on the left menu.

A confirmation popup will be displayed.




From the Main page

First go to the Checks page, from the Main menu, then click on the check box placed on the first column of the table.

Use the **Action** menu on the top to select **Delete**, and click to the **Launch Button**.

A confirmation popup will be displayed.


Using the Main page gives Administrators ability to **Delete** many Checks at once.



Duplicate a check


Duplication operation is very useful when similar Checks must be added.

To duplicate a check, first go on the Main page listing all checks, then select a check by clicking on the check box placed on the first column.




Once selected, the check can be duplicated by selecting **Duplicate** in the select **Action** of the tool bar.

Duplication is executed by clicking the **Launch** button.



The name of check duplicated is suffixed by "**(copy)**"



Using the Main page gives Administrators ability to **Duplicate** many Checks at once.

All properties are kept when duplicating operation, as well as hosts check applies on, contacts, data.

Note: Duplicated checks are totally detached and independant of the cloned Check. No relation is made in the configuration