

Overview

The page is divided in 3 parts:

- The top bar (Menu, and logout button)
- **Elements** overview panel on the left
- **Automatic Detection Modules** panel on the right

Data shown on this page are retrieved from Shinken Backend each time the page is loaded.

It is also automatically refreshed every 30 seconds.

The screenshot shows the Shinken Enterprise web interface. The top bar includes a menu icon, the text 'Shinken Enterprise', a 'Home' button, a 'Elements' button, and a status indicator 'To be applied [0 Changes]'. On the right of the top bar is an 'Admin' button with a user icon.

The main content area is divided into two panels. The left panel, titled 'Elements >', contains a table with the following data:

Name	Number of elements	New Differences
Business impact modulations	1	0 0
Clusters	21	0 0
Commands	324	0 0
Contacts	4	0 0
Contact groups	5	0 0
Contact templates	35	0 0
Escalations	0	0 0
Hosts	98	0 0
Host groups	2	0 0
Host templates	75	0 0
Data modulations	1	0 0
Notificationways	4	0 0
Checks	2	0 0
Check templates	302	0 0
Timeperiods	4	0 0

The right panel, titled 'Automatic Detection Modules', contains two sub-tables. The top sub-table, 'Sources >', has columns: Name, Enabled, State, Last synchronization, and Output. The bottom sub-table, 'Tags >', has columns: Name, Modules, and Order.

Name	Enabled	State	Last synchronization	Output
discovery	☒	☒	10s ago	OK: discovery data load successfully
cfg-file-shinken	☒	☒	50m ago	OK: load successful from configuration file /etc/shinken/local-import.cfg
cfg-file-nagios	☐		N/A ago	
active-dir	☐		N/A ago	
sync-vmware	☐		N/A ago	

Name	Modules	Order
ip-tags	ip-tag-dnz	1
regex-tags	sync-regex-tag	1

Elements Summary Table

This panel shows a table containing all type of configuration elements. For each type, following values are given :

- Name
- Number of elements present in Staging Database
- New elements detected (in New Database)
- Differences detected

Each name of list is a link, giving direct access to the configuration of selected element.

Elements >		
Name	Number of elements	New Differences
Business impact modulations	1	0 0
Clusters	21	0 0
Commands	324	0 0
Contacts	4	0 0
Contact groups	5	0 0
Contact templates	35	0 0
Escalations	0	0 0
Hosts	98	0 0
Host groups	2	0 0
Host templates	75	0 0
Data modulations	1	0 0
Notificationways	4	0 0
Checks	2	0 0
Check templates	302	0 0
Timeperiods	4	0 0

Automatic Detection Modules

This panel shows 2 tables :

- List of modules Sources (which retrieve data from an external source). There are 5 available sources by default:
 - The discovery source (network scan use defined range ip to detect new host and collect data)
 - The Shinken Framework config file import source.
 - The Nagios config file import source.
 - The Active Directory source (collect data from the Microsoft Active Directory service)
 - The VMWare source (collect data from VMWare Vsphere)
- List of defined Taggers (which complete objects detected by the sources):
 - By default, 2 taggers are provided as example
 - ip-tags
 - regexp-tags

For both table, each row gives a link pointing to the correspondant configuration.

Automatic Detection Modules				
Sources >				
Name	Enabled	State	Last synchronization	Output
discovery			4m ago	OK: discovery data load successfully
cfg-file-shinken			4m ago	OK: load successful from configuration file /etc/shinken/local-import.cfg
cfg-file-nagios			N/A ago	
active-dir			N/A ago	
sync-vmware			N/A ago	
Taggers >				
Name	Modules		Order	
ip-tags	ip-tag-dmz		1	
regexp-tags	sync-regexp-tag		1	

Sources

Sources table shows, for each known source:

- Its name.
- If the source is enabled or not.
- The state of the source (if enabled).
 - green if it's running well
 - red if something went wrong
- Since when the last synchronization occurred.
- The output generated by the last synchronization.

Sources >

Name	Enabled	State	Last synchronization	Output
discovery			4m ago	OK: discovery data load successfully
cfg-file-shinken			2m ago	OK: load successful from configuration file /etc/shinken/local-import.cfg
cfg-file-nagios			N/A ago	
active-dir			N/A ago	
sync-vmware			N/A ago	

The list of Sources presented in this table depends on the configuration objects inside the directory named "sources".

Taggers

This table shows all known Taggers:

- Its name.
- Its associated modules
- Its order (each tagger can modify objects, and so first tagger can add properties read by later taggers)

Taggers >

Name	Modules	Order
ip-tags	ip-tag-dmz	1
regex-tags	sync-regex-tag	1

Like other tables of this page, Taggers' name are pointing at the corresponding configuration.