




## Changes Page

Changes Page is used to show Changes, and to allow Administrators to apply changes.

The page is accessible by using the link in the top Menu.



Access to Changes Page

The page is divided in two sections :

- A left Menu allowing to Check and Apply Configuration
- A Center Panel showing Changes detected since last apply


Show Changes Panel allow Administrators to see every changes made, with a detailed view of elements involved.

A first table show changes ordered by Status :

- New Elements
- Changed Elements
- Removed Elements

A second Table shows same changes, ordered by Type :

- Host
- Services
- Contacts
- etc.



By default, the view shows all Status. To look for different Status or Types, Administrators can use link of each Status or Type.

The detailed view located on the right, allow Administrators to click on the element modified, taking Administrators to the Configuration Page of the selected element.

Changed elements are well identified, so Administrators know what changes have been made.

In this example, a Service has been modified.

The details table shows that this service was previously named Disks, and has been renamed to Disks2.

Within this advanced feature, an Administrator is able to revise a mistake,

or simply go back to his changes.




## Check Action

Check button is used to verify that the configuration is correct before applying.


This action is very important when lots of modifications are made, especially when deletion has been made. Status and Result of check operation is shown Section.

A valid configuration checked :



The screenshot shows a user interface with a dark grey button labeled "Check" at the top. Below it is a blue button labeled "Apply". Underneath the buttons is a light green message box containing the text: "Configuration check is OK. You can now Apply it to your monitoring production."


An invalid configuration checked :



The screenshot shows a user interface with a dark grey button labeled "Check" at the top and a blue button labeled "Apply" below it. Below the buttons is a grey header bar with the text "Configuration check in error (at Mon, 07 Sep 2015 16:45:16 GMT)". Underneath is a light grey message box containing the text: "Configuration is incorrect, sorry, I bail out" followed by three red error messages: "ERROR: [Shinken] [module] unknown ActiveDir\_UI module from WebUI", "ERROR: [Shinken] The key /etc/shinken/user.key is no more valid, skipping it", and "ERROR: [Shinken] No valid key found, will limit the number of hosts to 20", "ERROR: [Shinken] [host::cas2] incorrect type for property 'notification\_interval' of 'cas2'", and "ERROR: [Shinken] [items] In cas2 is incorrect ; from unknown".


## Apply Action

The apply action will save your staging database on your production database.




The screenshot shows a user interface with a blue button labeled "Apply" at the top. Below it is a light green message box containing the text: "Commiting configuration into production database." followed by a small gear icon.

You should wait until the reload is in progress.



The screenshot shows a light green message box containing the text: "Reload in progress." followed by a small gear icon.

And when show you when the reload will be OK.



The screenshot shows a user interface with a blue button labeled "Apply" at the top. Below it is a light green message box containing the text: "Reload OK."