

Host monitoring

Introduction

When Are Host Checks Performed?

Hosts are checked by the Shinken Enterprise daemon:

- At regular intervals, as defined by the check interval and retry interval options in your host definition.
- On-demand when a check associated with the host changes state.
- On-demand as needed as part of the host reachability logic (dependencies).

Regularly scheduled host checks are optional.

If you set the **check_interval** option in your host definition to zero (0), Shinken Enterprise will not perform checks of the hosts on a regular basis.

It will, however, still perform on-demand checks of the host as needed for other parts of the monitoring logic.

On-demand checks are made when a service associated with the host changes state because Shinken Enterprise needs to know if the host has also changed state. Services that change state are often an indicator that the host may have also changed state.

For example, if Shinken Enterprise detects that the "HTTP" check associated with a host just changed from a **CRITICAL** to an **OK** state, it may indicate that the host just recovered from a reboot and is now back up and running.

On-demand checks of hosts are also made as part of the dependencies logic. Shinken Enterprise is designed to detect network outages as quickly as possible, and distinguish between **DOWN** and **UNREACHABLE** host states. These are very different states and can help an administrator to quickly locate the cause of a network outage.

Property	Value	From Templates
Check Period	24x7 [default]	
Check Command	check-host-alive (ping) [defau] ▾ Args	
Max Check Attempts	2 [default]	
Check Interval (*1min)	5 [default]	
Retry Interval (*1min)	1 [default]	
Active Checks Enabled	<input checked="" type="checkbox"/> True [default] <input type="checkbox"/> False <input type="button" value="Inherit from template"/>	
Passive Checks Enabled	<input checked="" type="checkbox"/> True [default] <input type="checkbox"/> False <input type="button" value="Inherit from template"/>	
Maintenance Period	(none) [default]	

Dependencies and Checks

You can define parents that prevent Shinken Enterprise from checking the status of a host depending on the state of one or more other hosts. More information on dependencies can be found on the dependency logic page.

Parallelization of Host Checks

All checks are run in parallel.

Host States

Hosts that are checked can be in one of three different states:

- **UP**
- **DOWN**
- **UNREACHABLE**

Host State Determination

Host checks are performed by commands, which can return a state of **OK**, **WARNING**, **UNKNOWN**, or **CRITICAL**. Shinken Enterprise does translate these plugin return codes into host states of **UP**, **DOWN**, or **UNREACHABLE**. The table below shows how plugin return codes correspond with preliminary host states. Some post-processing (which is described later) is done which may then alter the final host state.

Command result	Host state
OK	UP
WARNING	DOWN
UNKNOWN	DOWN
CRITICAL	DOWN

If the preliminary host state is **DOWN**, Shinken Enterprise will attempt to see if the host is really **DOWN** or if it is **UNREACHABLE**. The distinction between **DOWN** and **UNREACHABLE** host states is important, as it allows admins to determine root cause of network outages faster. The following table shows how Shinken Enterprise makes a final state determination based on the state of the hosts parent(s). A host's parents are defined in the parents directive in host definition.

Preliminary Host state	Parent host state	Final host state
DOWN	At least one parent is UP	DOWN
DOWN	All parents are either DOWN or UNREACHABLE	UNREACHABLE

More information on how Shinken Enterprise distinguishes between **DOWN** and **UNREACHABLE** states can be found on the dependency logic page.

Host State Changes

As you are probably well aware, hosts don't always stay in one state. Things break, patches get applied, and servers need to be rebooted. When Shinken Enterprise checks the status of hosts, it will be able to detect when a host changes between **UP**, **DOWN**, and **UNREACHABLE** states and take appropriate action.

These state changes result in different state types (**HARD** or **SOFT**), which can trigger event handlers to be run and notifications to be sent out. Detecting and dealing with state changes is what Shinken Enterprise Enterprise is all about.

When hosts change state too frequently they are considered to be **flapping**. A good example of a flapping host would be a server that keeps spontaneously rebooting as soon as the operating system loads. That's always a fun scenario to have to deal with.

Shinken Enterprise can detect when hosts start flapping, and can cancel notifications until flapping stops and the host's state stabilizes. More information on the flap detection logic can be found on the flapping page.