



Description

This widget displays the dependency tree of a host or a cluster.

- A 2D tree starting from the chosen element (host or check), displays dependency links:
 - Cluster definition (see [Clusters](#)).
 - Links defined manually between elements in the [UI configuration Host chapter](#).
- A Node will be the representation of either a host, a cluster or a check.
- Each element has 4 components:



- It s n a m e .
- It s i c o n r e p r e s e n t i n g i t s t y p e .



- It
s
st
at
u
s
(i
c
o
n
st
at
e
=
>
s
e
e
th
e
S
ta
tu
s
&
C
o
nt
e
xt
fo
r
th
e
li
st
).

- If
th
e
el
e
m
e
nt
s
is
a
h
o
st
,
a
v
ai
la
bl
e
C
h
e
c
k
s
w
ill
b
e
di
s
pl
a
y
e
d
in
4
b
o

x
e
s
b
el
o
w
s
or
te
d
b
y
th
ei
r
st
at
us
(
C
rit
ic
al
,
W
ar
ni
n
g,
U
n
k
n
o
w
,
O
k).

• You can access the "Detailed view" of this element by clicking on the icon.

- If, in the dependency graph, some elements are not in "OK" state, they will be listed in at the bottom of the graph.

☆☆ (since 53m 13s) srv-oracle-1

☆☆ (since 52m 32s) srv-oracle-2

Usage

You can navigate in the tree to see the dependencies.

Shift the tree

- Maintain the left or right mouse button pressed to shift the tree in the 4 directions.

Center the tree on not OK elements displayed in the bottom list

- Click on the element name to center on this element.

Re-Center on the chosen element

- To come back to the monitored element, press on the reload button.

Open the detailed view of a specific node

- You can access the "Detailed view" of this element by clicking on the eye icon, near to the name of the node.

Configuration

1. Select a host or cluster name in the first list.
 - The total number of hosts and clusters will be displayed near "Select Host/Cluster" **(1)**.
 - If no host selected yet, the list of available hosts will automatically opened.
 - You can search (filter) for a host name, typing into the input on top of the list.
 - You can clean the current selection by clicking on the swipe icon **(2)**.
2. Depth of the tree.
 - By default, the depth is set to 5, but you can change it as you want **(3)** between 1 to 10.
3. When configured, press the SUBMIT button **(4)**.

The screenshot shows a configuration window titled "Configuration : Dependency Graph" with a close button (X) in the top right corner. The window contains two main sections. The first section is labeled "Select Host/Cluster (2)" and features a search input field with the text "Shinken" and a red swipe icon to its right. A blue circle with the number "1" points to the text "Select Host/Cluster (2)", and a red circle with the number "2" points to the swipe icon. The second section is labeled "Select tree depth from the origin" and contains a numeric input field with the value "1" and a vertical spinner icon to its right. A blue circle with the number "3" points to the spinner icon. At the bottom of the window, there are two buttons: "SUBMIT" and "CANCEL". A blue circle with the number "4" points to the "SUBMIT" button.