

Concept

L'onglet checks présente tous les checks attachés à un hôte .


Context	Status	Name	Last Check	Output	Actions
✓	✗	CPU Stats	2h 12m 30s	Error : cannot fetch cpu stats values from host	✓ ✗ ↺ ↻ ↗
✓	✗	NtpSync	2h 11m 26s	Error: /usr/sbin/ntpq: read: Connection refused	✓ ✗ ↺ ↻ ↗
✓	✓	Kernel Stats	2h 12m 20s	OK	✓ ✗ ↺ ↻ ↗
✓	✓	NET Stats	2h 8m 53s	OK	✓ ✗ ↺ ↻ ↗
✓	✓	Disks Stats	2h 11m 18s	OK	✓ ✗ ↺ ↻ ↗
✓	✓	NFS Stats	2h 9m 28s	OK	✓ ✗ ↺ ↻ ↗
✓	✓	TCP States	2h 10m 40s	OK	✓ ✗ ↺ ↻ ↗
✓	✓	Read-only Filesystems	2h 10m 57s	OK : no read only file system	✓ ✗ ↺ ↻ ↗

En haut de page, on peut voir :

- (1) Le nombre total de checks
- (2) le nombre de checks après application des filtres (6)
- (3) le nombre de lignes sélectionnées dans la liste . Sur cette sélection, vous pouvez réaliser 3 actions (4) :
 - forcer le résultat d'un check (décrit dans [Onglet Gestion](#).)
 - passer le statut en "pris en compte" (décrit dans [Hud](#))
 - lancer un check instantanément

La grille :

- (5) peut être triée (tris multiples possibles)
- (6) peut être filtrée (filtres multiples possibles)
- (7) dans la colonne "Actions" , 4 boutons sont disponibles pour chaque ligne .



Il y a les 3 mêmes boutons d'action déjà disponibles en entête, plus un 4ème : graphes associé

qui permet d'ouvrir l'onglet

